

Expansion of evolving distributing systems by recursive aggregation and production cascades

Ioan Rosca

LICEF, Teleuniversity of Montreal, Canada
ioan.rosca@licef.teluq.uqam.ca

Abstract. I will expose some ideas from the conceptual architecture of the distributed system "TELOS", describing the concerns that led to them, along the MOT- ADISA- EXPLORA- ION- GEFO- LORNET project chain... The struggle between integrating applications and decomposing them in components- usable for recomposing systems with variable geometry... The prototyping of a resource controller supporting the aggregation by "fusion" of secondary resources (which wrap the primary ones)... The introduction of "functional" aggregation, binding resources to operations, tying processes modelling, orchestration and reproduction... The management of system evolution- with "meta functions"... The shift from structural composition to service concatenation, supported by a communication bus and "interface-agents" controlled by a kernel... The treatment of semantic inter-operability, using "knowledge domains"- as reference systems... To finally propose an evolving and plastic middleware, combining structural extension (by distribution, recursive aggregation and phylogentic production cascades) with segmentation- on administrative criteria.

Keywords: expansive distributed systems, recursive aggregation, microkernel architectures, phylogentic production cascades, LORNET, TELOS

1 Introduction

The considerations of the next chapter constitute an introductory survey through the problem-space synthesized in chapter 3. Observing the final form of an intellectual construction is not always enough for the comprehension of its relevance - in relation to the problems it tries to solve. An eloquent explanation of a solution for a complex problem (like the one exposed here) can justify the description of the research's evolution, on the path of the main difficulties, intuitions and choices - seeking a compromise between multiple and contradictory criteria (modularity/integrity, portability/optimality, complexity/flexibility, etc). Thus, I will use the direct rhetoric of narrating my experience in the place of the traditional one- based on the analysis of considerations exposed in the literature. The competent reader will however easily perceive the background of the exposition. I assume this "introsopic" narrative methodology, believing in its expressive virtue in highlighting the "why?" of formulas like: "wrapping secondary resources", "distributing interface- agents", "recursive aggregation", "production cascade", "indexing competences", "emergence- orchestration mix"- on which the conceptual architecture of the TELOS system is based. The readers finding the lecture of chapter 2 painful

may skip it and pass directly to the presentation of the TELOS architecture (chapter 3). They may consult chapter 2, when they need supplementary explanations.

2 History of a research

Figure 1, depicting the adventure of 5 years of research, could have been cut out and presented in steps. I preferred to render the global image of the research, explaining it progressively. The description blends 5 approach levels scrutinising the physiology of a distributed system in expansion: the structures level, the processes, the services, the knowledge evolution and the administrative management of production cascades.




Figure 1.: 5 years in the aggregation quest labyrinth...

2.1 Between integration, decomposition and recomposition

(2.1a) I began my activity as conceptual architect for the LICEF systems with an integration mandate. I had to find a manner to tie several applications, conceptually interrelated, but developed during years in parallel projects:

1 Local graphs editors (MOT -[1], AGDI, Exploragraph)- used for the conception of knowledge structures (declarative, procedural, etc) to assimilate, scenarios of pedagogical activities, structures of material resources to build, delivery plans (or organization schemas for instructional systems).

2 35 metadata editors (named e100, e104, e212, e214 etc) based on templates (Word, Excel, PageMaker) - for the specification (in corresponding data islands: d104

etc) of the instruction system to be built: starting with the goals, passing to the description of the participants, resources and activities and ending with the organization of the phases and the cost estimation. The complete plan edition flow for the instructional systems being controlled by the MISA method [2]- exposed as a Word document or a graph of task rendered with the MOT editor).

3 A platform for virtual campuses (EXPLORA [3])- integrating the management of various categories of participants (administrators, designers, learners, tutors, etc.) with a system for course exploration- in web format.

I was asked to find a way:

- to bind the various textual metadata editors, ensuring the propagation of the data introduced into a documentation element, towards the edition interfaces of all the elements influenced by it (downstream in the flow of the MISA method)

- to bind graphical and textual edition in a coherent whole, ensuring opportune propagations at the data level and the unity of the edition process- for complete instructional system plans

- to bind the planning models for the architecture and the physiology of the desired instructional systems with their actual implementation and with the enactment of scenarios for activity and knowledge progress

- to distribute the plans' design activities, considering the fact that a "MISA project" requires the intervention of experts with different specializations (knowledge, pedagogical, material design, delivery etc)

After a double analysis (that obliged me to balance between a technician team and one of researchers), I chose a compromise solution, then coordinating the development of the ADISA system [4]. I will only expose here the aspects related to the modularity/unity contradiction (at the operational and data structure levels) - relevant for the goal of this paper.

1 All the metadata files (d104 etc) are edited (reedited) in ADISA with IEXPLORE DHTML forms, valorising the interactive features and the adaptability of the interface to the preferences of the editors, or as a result of some changes in downstream.

2 The data introduced for each documentation element X (for instance with the new form of the e104a editor) - is placed in the corresponding xml local file and is propagated to other "xml islands" Y- when this measure is recommended by MISA methodologists. There are several types of propagations: "automatic" (the user of Y will take note of them at his next edition or consultation access), "selective" (the editor of the Y island will be able to accept or refuse the modifications suggested in upstream) or purely informational (they don't modify the data island Y but only offer useful information to its editor).

3. The graphs edited using the MOT application (included with a COM object in the DHTML edition process) also produce XML files. From here, the data can be propagated to other islands, through the mechanisms already mentioned. This way, the human ergonomics of the graphical edition is combined with refined data management (allowing appropriate propagations, global analyses and easy retrieval of information introduced graphically).

4. The data of a local project can be edited in a number of offline sessions. Afterwards, it can be propagated towards the central Web server. The server solves the problem of cooperative project edition (by check out/check in - type mechanisms)

- respecting the existing dependences between the documentation elements. The "online" edition is also possible, involving the same interfaces and data flows.

(2.1b) Immediately after the integration, in ADISA, of the correlated editors for forms and graphs (composing XML structures corresponding to the documentation elements of the MISA method)... the need for modularisation appeared... The conception of a complete instructional project, useful in complex situations, had proven to be too difficult in other situations, the efforts to follow the method from the start to the end being unjustified.

We therefore passed to "the extraction" of the 35 editors (for forms or graphs) from the ADISA context, transforming them in autonomous offline/online editors for every informational segment (MISA documentation element- which I will note DE). The realization of the editors in DHTML - XML - facilitated this process. The only difficult problem was created by the dependencies- due to the propagations that had strongly coagulated the system (for example the forms of the E214 competence editor were built dynamically according to the list of participants - introduced with E104 and concepts - declared with E212). For the realization of the autonomy of each DExxx-b (by preserving the compatibility with its correspondent DExxx-a, integrated in Adisa) we operated an "externalisation" of the dependencies from the Javascript code, towards a "configuration" XML (see a similar idea in [5] - seeking to increase the flexibility for reorganization). The DHTML editor E214b- for example- reads the contextual relations from his configuration XML, discovering if it must work only with its local data structure, or actualise the knowledge (participants) list- from certain addresses or receive them from the flow of the incorporating ADISA project.

(2.1c) We also approached the problem of managing the separated DExxx-b editor collection (baptised "Adisa1+") outside the ADISA projects context. Being a "collection type" aggregation problem, we initially thought that it would be naturally solved within the framework of the "resource manager" built in another LICEF project. The metadata organization norms used in the Edusource project (to ensure the compatibility between pedagogical resource repositories) allowed enough freedom to declare the configurations (working modes, dependencies).

But the difficult problem encountered by the distribution and use of the DExxx-b modules proved *not* to be their declaration and publication from the designer context towards the central context of the resource manager ResMan (for the exxx editors) or of the document (data) manager DocMan (for the corresponding data files), nor their retrieval on the user context (operated by resource manager clients)- but to insure the operating conditions in the (variable) local technical contexts, also solving the dependencies - in the case that the interoperability with other DEs was asked by data propagation links. Thus, we have encapsulated the Exxxb resources in "WSC"s (COM objects created "on the fly" by the local controller, on the basis of the primary resource, of a XML description of its "external" methods and of the javascript code of the "wrapping capsule" - supporting these methods). This solution produced the Exxxc "secondary" resources, eliminating the need for knowing the local address of the DEs to connect to.

On the basis of these experiments, we attacked two broader problems, which proved extremely sharp. The first: how to organize the aggregation of (pedagogical) resources composed by fusion (the system depending on the relations between the parts)? The second, related to it: how to facilitate the process of these aggregations by

preparing the resources used as raw material and using a resource "controller", able to employ this preparation? I explored these subjects with a group of architects, impassioned by the problem of inter - operability and modularisation/ implementation/ orchestration of dynamically established architectures (S. Mihaila, C. Mitocaru, L. Vornicu). Together we saw the difficulty of combining autonomy, portability and compositionally - problem actually tackled on a large front in software literature. We were interested in inter-operation and aggregation at a granularity other than that of "components"- namely at that of whole applications (that is why books like "Software Fortress" [6] were an important source of inspiration).

Respecting the general Internet architecture spirit [7], we have searched for structural aggregation principles between client-server (or multi-tier) applications- on which we could find the Explora, SavoirNet and TELOS systems: from the "connection through users" (that can dynamically link applications by chaining the operations using them), to the "connection through client data" (propagated or transferred between documents), the "integration on the user computer" (taking advantage of the possibilities of a browser interpreting DHTML), "connection through data, placed on servers", the integration of server services- or even the "cross-communication" (client of application A working directly on client data of application B, with the B server, or with data on B server) . We also wanted to bind the architecture editors to the applications resulted from their implementation.

The problem proved difficult. The result of our frustrations was a "manifest" composed by S Mihaila) regarding the principles of an architecture based on "dynamic recursive agregability". For the exploration of the formulas of integration between applications we have used the prototype of the distributed resource controller ResCon included in the ION prototype (developed by Val Rosca). The treatment of the Adisa DExxx modules provided the suggestion that all the "primary" resources PR be prepared ("wrapped", "interfaced", "encapsulated" - using a JavaScript file Env, carrying out the external methods declared in a XML - WSC) so that we obtain "secondary" resources SR- which the resource controller can easily manipulate. In addition to the classical management operations mentioned above, the prototype included an editor ResEdit for the definition (in xml) of generic resources (called "resources families"- Fa) of which the abstract methods (services) were formulated in a homogeneous language ("EXPLORA script")- usable in aggregations orchestrated with "Explora batches" Ba. The key issue proved to be the "wrapping" of primary resources in such capsules, so that the abstract methods are placed in correspondence with those incorporated in the wrapped objects. Despite the attempts to automate (facilitate) this "binding", the preparation of the secondary resources (interfaces towards the primary code and implementation in JavaScript of the abstract methods) remained the programmers' task.

Once wrapped in the capsule of a "resource family" Fa, a resource (local application, client of a client-server or multi-tier application, etc.) can be: installed by the controller in the local context, placed in communication with other resources, combined in aggregations, replaced by an available resource of the same family, handled (remotely or co-operatively), spied (intercepting actions at the interface level), handled by "batches" of operative, demonstrative or instructive commands - formulated in "Explora script" language. ION provides textual and graphical editors

for the creation of these batches- and executors, which pilot the controlled resource and illustrate the advance along the operation workflow.

(2.1d) Finally, we demonstrated that we could dynamically recompose (from the encapsulated autonomous DEs) the complete ADISA system or a coherent sub-ensemble of it- using the ION controller. For example we have composed "104-212-214 d workshops", capable of editing 104-212-214 integrated data structures. But the "authoring" operation proved to be difficult and the generalization of the "fusion" aggregation methods and instruments posed principal, technical and strategic problems exceeding the possibilities of our group.

2.2 Between modelling, orchestrating and reproducing processes

Complex structural aggregations (like ADISA workshops) pose the problem of assisting their composition and their use. The organization of the "learning environments" and "learning objects repositories" is therefore complemented by the instrumentation of the educational co-operation and "learnflow" modelling.

As suggested in figure 3, the modelling of "concurrent processes" (transfer, cooperation, use etc.) constituting "events" of community life or relations between 2 communities- can be complemented with that of long processes as resource "lifecycles" or global evolutions of systems having a process-based physiology. Another level at which procedural representations can intervene is that of "phylogenetic" chains - binding production cycles that extend a system: an object made in a process being used (as instrument or raw material) in another.

(2.2a) I have therefore carefully analysed the use of the MOT+ graph editor, built by LICEF, for the modelling of ontogenetic, event oriented, physiological, evolutionary and phylogenetic processes. I observed the manner in which MOT models allow the reflection of the cognitive, co-operative, pedagogical and "of diffusion" procedures [8], respecting the "ergonomics of human interpretation" (of the visual representations necessary in human- human communication). I also studied the interpretation mechanisms necessary to the man-machine communication and to the computer agents' dialog comparing the MOT pedagogical workflow (learnflow), modelling formulas with similar developments coming from CSCW (or CSCL) and analysed the inter-operability problem proposed by norms like EML or IMS-LD [9].

The other problem approached by the LICEF researchers was the coordination of the actual procedures. To the refined but passive graphical descriptions composed in MOT, corresponded- in EXPLORA- simple task trees, nevertheless capable to orchestrate the planned activities. Trying to eliminate the discontinuance between the models' edition and their exploitation - existing in the LICEF chain- I realized the complexity of the problem of scenario "enactment" (see also [10]) - understanding why it was lagging behind the rest of the IMS-LD like developments.

The reengineering of Explora, MOT+ and ExploraGraph (an alternative graph editor/executor) having encountered difficulties, I explored new formulas for processing procedures with the "function manager" prototype [11].

The VAL editor (that became GEFO when it was included in the LORNET project) uses the ION resource manager and controller to bind certain primary, secondary (wrapped) or tertiary (batches) resources. For example, by binding the

corresponding editors to a workflow representing the edition process of the 104- 212- 214 chain and by graphically specifying the data propagation bridges, a "dynamic aggregation" is obtained at the moment of function execution (exploration).

The facilities of the function explorer can now be valorised: 1 inspiring the actions' sequencing; 2 declaring and producing exploration data, usable for reactions; 3 launching and controlling some resources, facilitating their manipulation and their procedural aggregation; 4 mediating the participants' communication and coordination; providing retrieval and matching services for the run-time concretisation of the components.

(2.2b) The functional aggregation is less flexible regarding the operation order than in the "fusion" case (or the freedom offered by the "collections"). The functional sequencing may be useful- for instruction and support- and has the quality to be easily defined (change, adapted). Combining the qualities of planning with adaptation flexibility, the function supports the "plastics" of systems.

The great asset of the functional aggregation formula is therefore the (recursive) possibility of its "longitudinal" management- using "metafunctions". These allow the understanding, modelling and orchestration of the global physiology of the loop formed between the procedural reality and its model. For example, we can manage the evolution of the function that aggregates the f(104,212,214) workshop with the help of an adequate metafunction, eventually using the fact that the VAL editor in its whole has been wrapped as a secondary resource manageable by ION (therefore allowing distance cooperative control, demonstrative batches etc).

For the conception of an "expanding distributed system" the "use cases" are not only a method for orientating the construction of new tools but reflect the physiology of the system in extension, evolving along with it (see similar preoccupations in [12]). Stable "structures" are replaced by structural (or procedural) aggregation and disintegration mechanisms. If the first version of my conception document for TELOS was called "architecture" - trying to emphasize the "blocks" of the system and the second was called "behavioural design" (being based on use cases), the final denomination ("conceptual architecture") assumed the insoluble fusion between structural and behavioural aspects - treating the organization of plasticity.

2.3 Between distributed architectures and the service bus

(2.3 a) As I already mentioned, I realized (in the ADISA - ION projects) that the management of the structural disintegration - aggregation process for applications meets important technological, strategic and principal difficulties- trying to resolve contradictory requirements: autonomy versus connectivity, small granulation for flexibility/ large- for functionality, shareability versus property rights, etc. We approached the "componentisation" of the MOT+ scenario editor - realized with MFC / C++ - and that of the Explora platform - realized with applets / servlets / java - in order for us to become able to recompose virtual campuses with variable geometry equipped with co-operative scenario exploration tools. The difficulties we encountered tempered our enthusiasm...

For this reason we have welcomed tendencies like "web services" and "application servers" that we saw (beyond the technological details of the SOAP-WSDL-UDDI

chain) as a chance of reorientation from modularisation and morphological compositionally towards segmentation and dynamic, supple, physiological aggregation.

In an environment like LICEF, interfacing the existing applications, so that they can ask and deliver services to partner applications, using a shared language and an adequate communication bus (in the sense of a semantic protocol overlapped over the technological ones) - proved to be a salutary idea. Our first tests of "communicational aggregation" were based of the DExxx ADISA modules, taking advantage of their encapsulation as secondary resources, which allowed mixing the manoeuvres of the users on the interfaces with orders transmitted through the resource controller and interpreted by the resource "interface". And the "wrapping" of the entire Adisa application in a "secondary resource", with remote manipulability, allowed the piloting of some edition processes with the help of demonstrative "batches" or "functions", managed with the ION executor and, respectively, the VAL explorer.

We then organized an "ADISA service server" able to provide relevant information to users equipped with service clients and to the Exxxb mini-editors of the Adisa1+ range/family. After the idea of cooperating by a "service bus" was calibrated by the creation of a link between the VAL function manager and the rule-based "adviser" [13] which equipped the Explora platform- we began to apply it for realizing bridges between the LICEF applications. Also on these grounds, we realized the demonstrative connection of an "epiphyte adviser" [14] to the ADISA2 generated workshops.

(2.3 b) If the inter - operation needs had been reduced to the integration of LICEF applications in the Explora2 platform [15], the solution based on "data and service" communication and the participation of applications in common procedures could have been combined with a structural reorganization. But when Explora became a "middleware" between several virtual campuses, resource repositories and educational application servers distributed on the Internet (in the SavoirNet project), it also became obvious that we cannot ask for a profound reengineering of our partners' systems... and, therefore, that the "supple" connection- is the only realistic solution. Thus appeared - in the systems' architecture (in addition to knowledge, resources, participants, activities, support managers and to the resource controller - on which we wanted to base the distribution and the aggregation) - a "kernel" - responsible for the management of the "service bus". What was left to do was to decide the organization norms of the active interfaces (contact agents) that would allow the applications to communicate by the means of this bus, the strategies by which we could equip the applications and the users with the Explora interface- agents and the aggregation formulas of the communicative physiologies.

This was the situation, when I was invited to materialize my ideas, as conceptual architect of TELOS (tele-learning operating system) in the LORNET (learning object repository network) project [16] (approved in 2002, launched in 2003 and due to last until 2008). The project aims at facilitating inter-operation between instruction and knowledge management systems, educational service sources and resources repositories accessible through the Internet- reducing unpleasant and costly redundancies (a similar middleware situation was treated in Cobl [17]). A "distributed pedagogical operating system's" architecture (protocols, base services, strategies that could progressively lead to the inter-operability of the entities bound to the system

and respecting its norms- had to be defined. It was a major challenge. Here are some extracts from the strategic principles, which I inserted in the vision document [18]:

"[] solutions not only in terms of system tools, but also in terms of processes [] to use them effectively in real contexts. [] the driving force will be the careful definition of use cases [] accommodate a variety of situations, from planned instruction to more or less structured self-training, emerging communities of practice or performance support systems integrated with work environments. [] a view where humans and computer agents are interacting parts of a unique system. [] These conceptual models are not just prerequisites to the TELOS system's development; they are part of the system, maybe its fundamental layer. [] The architecture will promote "horizontal" (structural) modularity (between components) and "vertical" (evolutional) segmentation [] Even at the "kernel" level, the general functions could be covered by one or more alternative modules, accessible on a distributed "services bus" [] a coordination and synchronization set of functionalities for the interaction of persons and computerized resources that together constitute a learning or knowledge management system."

2.4 From component indexation to global knowledge evolution management

In addition to technical compatibility, communication between (instructional) informational systems also requires "language" compatibility. Co-operative processes involving humans and documents require the sharing of meaning, depending on the cognitive relationships between the participating elements and influencing "the semantic aggregation". The knowledge represented in various reference systems is embodied in humans and explained in messages placed on various documentary supports. It evolves within the framework of the processes it orientates. A major issue for TELOS was the choice of a formula for interlacing the evolution of processes (activities), the evolution of the involved objects and participants and the evolution of the "knowledge" incorporated in persons and clarified in documents.

The correlation of the knowledge, participants, resources and activities' management was the constant preoccupation of the researches at LICEF, as we can observe analysing the MISA method [2] or the organization of the MOT [1] and EXPLORA [3] systems. Various principles and mechanisms were explored: the connection of the management "axes" by information propagations (realized in ADISA), the grouping of knowledge, activity and "mediatic" scenarios (MOT+), the correlation of the advance in the course's site with the enactment of the pedagogical scenarios and the "learning flows" (in Explora). Also were explored various organization methods for the knowledge domains usable as reference systems (MOT graphs, metadata structures, ontologies [19], etc.) and various scales of "competence" (evaluations of somebody's relationships related to a certain knowledge)- usable for the observation and facilitation of the learning process [20].

I tried to combine these developments with my own ideas concerning knowledge and explanation management [21]: stressing on the bipolarity of explanation and the "distributed cognition" vision ([22]). My main interest was the use of the synaptic web of the computer network to provide "explicational" retrieval and matching

services: to find the available and maximally pertinent resources (human, material) sustaining a certain competence leap on a given subject.

I therefore based the TELOS "emergent" working mode (in which the users search people and support documents in the accessible repertories, use them -eventually producing other resources- and freely establish the operation chain) on the indexation of all elements (people, objects) face to "knowledge domains" Kn- usable as reference systems. The "orchestrated" working mode also uses these references systems for indexing all the function's abstract or concretised elements- and its matching services rely on this indexation. The adaptable procedural models can be managed on the grounds of the observation of the competence equilibrium conditions around pedagogical operations. The optimisation computations, observed by specialized agents, are based on the declaration of explanatory capacities (comprehension, application, clarification, recommendation).

That is how the "semantic bus" that supports knowledge-level inter-operability is materialized. I will not extend this telegraphic presentation on the conceptual level management- even if it is the main objective of TELOS. I will try to describe the original formulas for observing and supporting the global evolution of knowledge in the papers proposed for ODBASE and COOPIS.

2.5 The administration of aggregation cascades- between categories and roles

(2.5a) The last aggregations attempted for ADISA-type editors relied on the idea to allow the conceivers of the plans to visually define, with a DHTML editor (SchEd), new DEs forms, the result being placed in XML schema files. On their basis, a form generator (DataEd) builds the corresponding DHTML form exf- for instance a new variant of 104 "on the fly"; with its help, the corresponding XML data island can be edited. The same technique was then used (in the Link Editor) for defining the propagations between forms (and corresponding islands) that will compose a multi-form editor Ef.

(2.5b) We have also searched for particular aggregation formulas, available in situations when the elements to be combined are not of arbitrary origin, but have resulted from the decomposition of a coherent application- thus composing simplified versions of the mother structure, with variable geometry, but with a physiology included in that of the original one.

This last track gave birth to the GADISA "generator" (developed by C. Mitocaru). It allows the construction of Adisa-type workshops, using a battery of DExxx-g editors- as raw material. Compared to their homologues from Adisa 1 or Adisa1+, these components from the "Adisa2 raw material base" possess improvements, facilitating the recombination process and increasing their flexibility: modularisation of each ED (or of the reports generated on its grounds) in such a way that it gains variable geometry and style, use of a common "utility" library, separation of the data logic from the edition one, externalisation of the interpretation rules (for the XMLs of graphical provenience) and of the rules for triggering propagations etc.

The user of the GADISA2 environment disposes of a DHTML interface for choosing the documentation elements that will compose the projected sub-workshop, the configuration and the aspect of each ED and the data propagation links. It can

generate mono-editor workshops (like a(104)h etc) or complex workshops (like a(104,212,214) etc)- without data or pre-loaded with data extracted from various sources, with the help of the Adisa service server. With the help of these workshops, an unlimited number of projects can be declared, using some possibilities for modulating their geometry and for loading data extracted from various sources (based on the "ADISA service bus" including an adaptor service- for the case there are format differences between the data used in the source and destination elements).

The coherence of the data flow in the so-generated workshop is based on the fact that all the islands, editors and propagation "pipes" are selected from the pool extracted from the global ADISA system! We thus understood that, if components come from the same "mother" source, the freedom of aggregation can be combined with the support for significant combinations - hence that "*recombination*" can use other formulas than "*combination*". This intuition lies at the basis of the extension technique in "genetic" cascades, proposed for the TELOS system (chapter 2)

In the context of our experiences, all the discussed aggregation, desegregations and generation processes took place in the same institutional framework (they didn't cross the LICEF frontier). In "real life", the management of aggregations, lifecycles and cascades of resource production and use is confronted with the problem of rights, mandates and regulatory norms. To whom does an object belong? Who has the right to fabricate it or use it- and in what conditions?

An ensemble of distributed objects, physically organized in a certain manner and cooperating in the context of a given physiology - targeting certain objectives - can be partitioned on "ownership" and "usage" rights criteria. The last major problem that the "conceptual architecture" confront is the consideration of the "pragmatic" aspects - related to the connection of an instruction system to the administrative context in which it is used by its beneficiaries: categories of users, competence profiles and evaluation methods, information protection levels, work organization protocols, general scheduling contexts) etc.

The MISA method allocates an important space to aspects related to the organisation principles of an institution, to the definition of "target populations", to the planning of operations and evaluation of their costs- and allows the population of pedagogical and delivery scenarios with abstract "actors" and "instruments"- that may be concretised through participants and resources chosen by the beneficiary institution. Wishing to surpass the rigidity of dedicating instruments to some categories of users (learners, teachers etc), the management of the EXPLORA platform proposes "roles"- that can be flexibly allocated, in function of the necessities. Continuing this orientation, I tried to separate the "categories" that can be used in an institution or community (defined by enumeration or by the description of certain characteristics) from the "roles" used in the functions' models- that can be played by various persons or categories. I also allowed the concretisation of roles through "participants" of "person aggregate" (groups, teams etc) type- governed by "floor control" negotiation protocols.

Disappointed by the superficial treatment of the "juridical" aspects in the literature dedicated to dynamic distributed architectures (of components, of services etc) and by the slow progress of researches as "digital rights management", I adopted a "in house" formula. It operates a segmentation of the phylogenetical production cascades

(recursive aggregation cascades) in order to take into account the passage from one institutional context to another, along the "main production cascade": 1. The construction of an LKMS (learning and knowledge management system) with the instrument toolkit available in the TELOS core 2 Its particularization for various beneficiaries 3 Its use in the construction of LKMA (learning and knowledge management application) application scenarios 4 The instructional use of these LKMA, producing living-knowledge modification (learning), the change of a knowledge representation, and eventually some objects- LKMP(learning and knowledge management products), manageable in the context of the core, LKMS, LKMA or personal portfolios libraries.

3. Conclusions

The considerations from the previous paragraph point out the difficulty of interlacing aspects related to: the structural logics of applications, the processual logics of operations, the logics of geographical distribution of components and of communication between them, the administrative logics of "rights", the logics of signification sharing and the logics of the recursive fabrication process. I have defined [23] the TELOS conceptual architecture taking into account the experiences stated in chapter 2- as an evolving middleware, combining structural extension (through recursive aggregation and distribution) with the reproduction of procedures and with the connection of the ontogenetic cycles in phylogenetic cascades- segmented on administrative criteria.

This expanding structure will support the modelling and management of distributed instruction activities: from the emergent to the orchestrated ones. When users prefer the freedom to order (emergently) the operation sequence (resource conception, publishing, retrieval, use, annotation etc), the system offers retrieval instruments to them for finding the appropriate resources (support tools and persons, previously "published" in the resource repositories): semantically pertinent, administratively available, and technically operable. In other situations, instead of loosing time to find resources and chain operations, users can rely on "aggregates" [24] edited by an author at a previous stage: "collections" (sets of resources, equipped with management interfaces, "fusions"- unitary systems composed from interdependent components, "operations"- aggregating an action, its executor, support actors and support or target resources, "functions"- orchestrating aggregations, with resources declared or connected to the operations chain.

3.1 Structural description

TELOS will facilitate technical and semantic inter-operation between its (distributed) users and modules and those of external systems. To do this it will use a microkernel design pattern: a "communication bus" coordinated by a "kernel" that deploys (distributes) and connects the communication agents (see also [25]), coordinating the chaining of the declare/ ask/ deliver/ receive phases- in order to satisfy remote micro-service requests). The "agent-interfaces" respect a TELOS inter-

communication protocol (working above the network layer protocols). All the TELOS modules must be "pluggable" to this "communication bus". The external systems wishing to participate must be wrapped (statically or dynamically) with the TELOS interface-agents. A user asks/delivers a service through the agent-interface allocated by the kernel: directly to him (as a visual interface) or to a system that he is using. The TELOS core will also contain a general resource controller (delegating the manipulation of any resource to the appropriate handler) and an import-export module- opening (X) for communication with systems based on other norms.




Figure 2 : TELOS production base

The TELOS "Core" (logically unified, physically being distributed on a network) comprises the following "areas":

- 1 The area of the coordinating kernel (distributor of applications and clients for their remote access and of interface-agents for the connection to the "service bus").
- 2 The area for the management of system knowledge and competence reference space (operational, technical and administrative)- containing handlers and documents edited with them (ontologies, taxonomies etc).
- 3 Repositories (directories) and handlers for the management of "primary resources" (persons, tools and documents, operations). It is based on metadata files describing the respective entities.
- 4 Secondary resource library (interfaced or aggregated: collections, systems and orchestrations) along with the instruments (handlers) required for their manipulation (edition, use etc)
- 5 Handlers and libraries required for the management of main system fabrication chain (LKMS, LKMA, LKMP).

6 Systems (LKMS, LKMA, LKMP) external to the TELOS administration core, but resulting from its fabrication process ("genetically tied").

7 Delegated "interfaces" (system agents, user agents, native application clients, TELOS clients) for coupling external entities to the TELOS communication network.

3.2 Synthetic processual description

Using a "4d" vision, we will talk about an extensive plastic structure TELOS(t). Only the kernel has a greater stability, while the "core" is continuously extended, enriching its central resource libraries (primary, secondary, tertiary- see explanations below) and distributing, in various external contexts, systems resulted from its production cascades (LKMS, LKMA and LKMP). Structural aggregations are more or less "durable" (being able to evolve ... until the disappearance of the original shape). Procedural aggregations are more or less ephemeral (starting from the unique events to those reproduced with fidelity, on a model base). The figure 2 schema isn't the "architecture" of a certain arrangement of the TELOS "cells" but only a description of the collection of elements that can constitute the raw material for the aggregate structures (morphologies) that can participate to processes (physiologies).

The system physiology can be seen at different levels.

The first is the technical level, that assures the dialog between the agents capable to use the "communication bus" governed by the TELOS kernel. A micro-service cascade leading to a coherent result for a user- forms an "elementary operation"- the next level considered in the system's physiology.

At the next level, complex procedures can be created by linking elementary operations (emergently or with functional scenarios). Sometimes these chains model the "lifecycle" of a resource (aggregation): composition of a generic model ("class"), progressive particularization of derived instances by concretising the connected resources, publishing, retrieval, run-time adaptation and use, annotation and feedback).

A resource produced by such an "onthogenetical" chain can be used (as raw material, authoring tool or inspiring source) in another chain, thus creating "phylogenetical" cascades- the last level of procedural "granularity". The process of structural or procedural aggregation can continue recursively, leading to more and more complex resources and processes that extend continuously the distributed system. In order to facilitate the management of the production chains, I have defined the main production cascade: core- LKMS-LKMA-LKMP.

LKMS produced from core elements. With the help of specialized editors, technicians use core secondary resources as raw material (or as design tools) to build "learning and knowledge management systems"- placing (installing) them in the core dedicated library ("embedded") or in an external beneficiary's context ("separated"). As any aggregate, a LKMS can pass through concretisation (adaptation) from the model state to the state of executable instance. These LKMS can (linked case) or can not (autonomous case) maintain dependences through the core. That will influence the "completeness" of their structures: starting with the "thin" cases (containing generally definitions and data), going through the "fat" case (containing LKMAs produced and

managed by the LKMS) and ending with the "heavy" situation (also containing the handlers, for autonomy).

LKMA produced with LKMS Using an LKMS, designers can construct learning and knowledge management applications, placing them in the system's central library, in the library of the used LKMS (embedded or remote) or completely apart. After the edition (by a course designer), the LKMAs can also pass through a particularization phase (by an administrator) before the start of the instance execution. The LKMA use will generally require the support of the producer LKMS (and eventually even of some core services), but it can also gain autonomy through the enrichment with appropriate handlers (becoming "heavy" LKMA). The simplest form ("thin") of an LKMA may contain only his aggregate definition (pointing to the resources and the handlers placed in the core (or LKMS libraries) - and data (the exploration results).

LKMP produced with LKMA. The material results (traces, annotations, user constructions) of an LKMA use (that go along with learning), called here "learning and knowledge management products" can be managed in the context of the generating LKMA (eventually useful in their sequencing, observation or interpretation, be placed in the libraries of the core or of the support-LKMS, or in personal portfolios (see [26]). System's feed-back loops (repositories' enrichment, resources' evaluation, competences' evolution, knowledge reference modification- can originate from the LKMP analysis.




Figure 3: bundled cascades of production processes

Figure 2b signals the relativity of this decomposition- due to the interlacing of the processual cascades. The same process can be simultaneously part of more than one

chain- connecting them. For instance, the construction of an LKMS is also, at the same time, a use phase in the core's lifecycle. And the use of an LKMS coincides with the construction of an LKMA. And so on. Figure 2a shows that the segmentation or coagulation of certain processes (concurrent, ontogenetic, physiological, evolving, phylogenetic) results from the intersection of structural, procedural and administrative considerations.

Apart the continuous extension of the core, the universe of the externalised TELOS products also extends "genetically". The "phylogenetic" character of production cascades shows up following the "circulation" of certain element. A component produced by the system core engineers can be adapted and incorporated in an LKMS, then placed into an LKMA - from where it can finally get into an LKMP. For this reason, TELOS insists on the longitudinal treatment of process chains, exploring the modelling, adaptation, orchestration and reproduction formulas of procedures, with the help of the function manager.

3.3 Interlaced physiological descriptions

Figure 4 recalls the five perspectives discussed in this paper.

1 TELOS allows the users *us* to continuously extend a resource base, supporting them in the research *fi* of the necessary components *co*, then in their use *us* for various purposes, among which the aggregation of new resources *ag*, followed by the publication *pu* in system repositories.

2 TELOS allows the reproduction of primary processes- P that inspire the edition - e of their models- m used in the production of derivate processes- S. This chain can at its turn be modelled, the metmamodel- M... being usable in its management.

3 TELOS allows to a user *us* to obtain services 1. From the target resource *ta*, through direct action *di* on replicas *ta'* distributed (*dis*) in the user context 2. Asking and receiving (*ar*) services delivered to the *ua* agents distributed to the users 3. Through the *si* systems that they work with (*wo*). In this last case, the requestor systems *si* also obtain (*dis*) interface agents *sa* similar to those used by the systems that declare and deliver (*dd*) these services.

4 TELOS supports the global evolution of a system involving knowledge, using as reference system domains *d* respecting a norm *n* (organized and defined by experts *e1*). On their grounds - the *e2*, *e3* experts - accomplish the *ip* indexation of the participants *p* and the *ir* indexation of the resources *r* catalogued in the system's repertories *R*. Before being used, the resources *r*, *p* can be found directly (*fi*) by a user *u* (emergent mode) or accessed (*ac*) through procedural models *fu* that are indexed- by the experts *e4*, during edition (*ed*) - in order to support the competence equilibriums.

5 The system allows the segmentation of some production cascades on administrative "discontinuity" criteria. Starting from core modules *te* technologists fabricate (phase *c1*) LKMS *sl* embedded in the core library or *s2* placed in the context of external beneficiaries (autonomous or linked). Using LKMS designers *de* can build (*c2*) LKMA placed in the core library (*a2*), the library of the LKMS constructor (*a1,a3*), or separate (*a4*). The use of LKMA by learners *le* modifies their competences and can produce LKMP deployable in divers contexts (core LKMP library-*p4*, LKMS product libraries-*p2,p6*,LKMA product libraries-*p1,p3,p5,p7*, personal portfolios-*p8*).




Figure 4: Five perspectives on TELOS

These blended descriptions of the physiology, completing the decomposition in parts, layers or phases reveals the author vision about the epistemology of complexity.

References

1. Marino O., de la Teja, I., Lundgren-Cayrol, K. & Paquette, G. (2005). Transposing MISA Learning Scenarios into IMS Units of Learning Journal of Interactive Media in Education 2005(13).[jime.open.ac.uk/2005/13]
2. MISA PAQ Paquette, G., C. Aubin et F. Crevier (1999). « MISA, A Knowledge-based Method for the Engineering of Learning Systems », Journal of Courseware Engineering, vol. 2, August.
3. Paquette, G. « Construction de portails de télé-apprentissage Explor@ : Une diversité de modèles pédagogiques », Science et Techniques Educatives, vol. 7, no 1, p. 207-226 (2000).
4. Paquette, G., Rosca, I., De la Teja, I., Léonard, M., Lundgren-Cayrol, K.: Web-based Support for the Instructional Engineering of E-learning Systems, Proceedings of WebNet'2001, Orlando FL, October, W. Fowler, J. Hasebrook (eds.) pp. 981-987.(2001)
5. Andrade L, Fidairo J L, Gouveia J, Koutsoukos G Separating computation, coordination and configuration, Journal of software maintenance and evolution : research and practice, 353-369,2002,John Wiley & Sons ed
6. Sessions R. Software Fortresses: Modeling Enterprise Architectures Addison-Wesley Professional; 1st edition (February 24, 2003)
7. Fielding R, Taylor R., Pricciple design of the modern web architecture, In ACM transactions on Internet Technology, Vol2,No2, May, pp 115-150, 2002

8. G.Paquette, I. Rosca, Modeling the delivery physiology of distributed learning systems. Technology, Instruction, Cognition and Learning (TICL) ,v1, No2, 2003
9. Koper, R., Manderveld, J., Educational modelling language: modelling reusable, interoperable,, rich and personalised units of learning, In British Journal of Educational Technology, Vol 35 No5, pp 537-551, 2004, Blackwell Publishing Ltd
10. Vantroys T, Peter Y: Cow, a flexible platform for the enactment of learning scenarios, CRIWG roceedings,Autrans, France, 2003, Springer Verlag
11. Rosca, I, Rosca V. Pedagogical workflow management with functions, LOR'04 congress, Montreal, <http://www.lornet.org/i2lor/pps/Rosca.pps>, 2004
12. Garcia-Cabrera, L, Rodriguez- Fortiz, M.J., Perets-Lorca, J. 2002. Evolving hypermedia systems : a layered software architecture. Journal of software maintenance and evolution : research and practice, 389-485, 2002, John Wiley & Sons ed.
13. Lundgren-Cayrol, K., G. Paquette, A. Miara, F. Bergeron, J. Rivard et I. Rosca (2001). Explor@ Advisory Agent : Tracing the Student's Trail, communication présentée dans le cadre de WebNet'01 Conference, Orlando, Etats-Unis.
14. Dufresne, A. The exploraGraph advising system : an ergonomical evaluation of the editor, communication présentée dans le cadre de TICE'2002, Lyon, France.
15. Rosca, I., Paquette, G.: The Explora2 system, Congrès TeleLearning, Vancouver (2001)
16. Rosca, I., Paquette, G.: TELOS research progress, LOR'04 Towards the educational semantic web, Vo1, No4, Dec (2004)
17. Lee Y, Chong Q.: Multi-agent systems support for Communities-Based Learning, Interacting with computers 15 , 33-55, 2003, Elsevier Science
18. I.Rosca, G.Paquet., System orientation principles, TELOS Vision and Orientation <http://www.lornet.org/docs/telos.pdf>, pp26-28 (2003)
19. G Paquette, I Rosca An Ontology-based Referencing of Actors, Operations and Resources in eLearning Systems SW-EL, 2004
20. Paquette, G. (2002). Modélisation des connaissances et des compétences, pour concevoir et apprendre, Sainte-Foy, Presses de l'Université du Québec.
21. I.Rosca, Towards a systemic vision of the explanation process; story of a research on integrating pedagogy, engineering and modeling PhD thesis, Montreal, <http://www.ioanrosca.com/education/these>, 1999
22. Hollan J., Hutchins E, Kirsh D, Distributed cognition: toward a new foundation for Human-Computer Interaction research , In ACM Transactions on Computer-Human Interaction, Vol7 No2 ,174-196, 2000
23. Rosca, I., Paquette, G., Mihaila, S., Masmoudi, A.: "TELOS, a service-oriented framework to support learning and knowledge Management" E-Learning Networked Environments and Architectures: a Knowledge Processing Perspective, S. Pierre (Ed), Springer (2006- in press)
24. Rosca, I., Paquette, G.: Organic Aggregation of Knowledge Objects in Educational Systems, Canadian Journal of Learning Technologies, Volume 28-3, pp. 11-26 (2002)
25. Cianacarini P, Rossi D, Vitali F., Designing a document-centric coordination application over the Internet, In Interacting with computers 13 677-693, 2001, Elsevier Science
26. MassonR Pegler C Weller M: E-portfolios: an assessment tool for online courses British Journal of Educational Technology, v35, no 6, 2004